

One of the top FAQs we get is:

"How do I roll Monstaliner and get less texture?"

The photos below show the dramatic difference between enhanced texture and minimized texture effect when rolling Monstaliner. The "Re-Roll" after the 2nd coat gets laid down and evened out is the key to getting more pronounced texture. Simply avoiding the re-roll gives minimized texture. Re-rolling is done without adding more liner to the roller. Anywhere from 3 to 15 minutes (depending on temperature) after the 2nd coat is rolled, the coating is starting to get very sticky. Running the roller over the surface again will pick up and tighten the texture. Not re-rolling lets it lay down smoother. All photos below were taken during the same rolling session. Some sheets got re-rolled, others did not. The results are very interesting as you can see. The first pic is Medium Quartz Gray while still wet. All others are Black, dry the next day. **Note:** Alternate rollers do not work effectively with Monstaliner as they do not hold enough coating to apply correctly. Trust us... we have tested everything we thought might work and we made a mess.

